


RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH,
 CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR,
 BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
 DE 10125145 A1 20021128 DE 2001-10125145 20010522
 EP 1392670 A1 20040303 EP 2002-743057 20020521
 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
 IE, SI, LT, LV, FI, RO, MK, CY, AL, TR
 JP 2004532246 T2 20041021 JP 2002-591475 20020521
 US 2004152734 A1 20040805 US 2003-717932 20031121
 PRAI DE 2001-10125145 20010522
 WO 2002-EP5542 20020521
 GI



AB Title compds. I [A = O, S; R1 = aryl, heterocycle, alkylaryl, etc.; R2 = COR6, cycloalkyl; R3, R4, R5 = H, halo, CN, etc.; R6 = aryl, heterocycle, alkylaryl, etc.] and their pharmaceutically acceptable were prepared In sodium channel binding assays, 4-specific examples of compds. I showed 37-57% affinity to the Batrachotoxin (BTX) binding site. Compds. I are useful as antiarrhythmic, antiemetic and nootropic agents.

RE.CNT 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> fil beil
 FILE 'BEILSTEIN' ENTERED AT 14:33:46 ON 23 NOV 2004
 COPYRIGHT (c) 2004 Beilstein-Institut zur Foerderung der Chemischen Wissenschaften
 licensed to Beilstein GmbH and MDL Information Systems GmbH

FILE RELOADED ON OCTOBER 20, 2002
 FILE LAST UPDATED ON NOVEMBER 3, 2004

FILE COVERS 1771 TO 2004.
 *** FILE CONTAINS 9,073,068 SUBSTANCES ***

>>> PLEASE NOTE: Reaction Data and substance data are stored in separate documents and can not be searched together in one query. Reaction data for BEILSTEIN compounds may be displayed immediately with the display codes PRE (preparations) and REA (reactions). A substance answer set retrieved after the search for a chemical name, a compounds with available reaction information by combining with PRE/FA, REA/FA or more generally with RX/FA. The BEILSTEIN Registry Number (BRN) is the link between a BEILSTEIN compound and belonging reactions. For more detailed reaction searches BRNs can be searched as reaction partner BRNs Reactant BRN (RX.RBRN) or Product BRN (RX.PBRN). <<<

>>> FOR SEARCHING PREPARATIONS SEE HELP PRE <<<

 * PLEASE NOTE THAT THERE ARE NO FORMATS FREE OF COST. *
 * SET NOTICE FEATURE: THE COST ESTIMATES CALCULATED FOR SET NOTICE *
 * ARE BASED ON THE HIGHEST PRICE CATEGORY. THEREFORE, THESE *
 * ESTIMATES MAY NOT REFLECT THE ACTUAL COSTS. *

* FOR PRICE INFORMATION SEE HELP COST

NEW
* PATENT NUMBERS (PN) AND BABS ACCESSION NUMBERS (BABSAN) CAN NOW BE
SEARCHED, SELECTED AND TRANSFERRED.
* NEW DISPLAY FORMATS ALLREF, ALLP AND BABSAN SHOW ALL REFERENCES,
ALL PATENT REFERENCES, OR ALL BABS ACCESSION NUMBERS FOR A
COMPOUND AT A GLANCE.

*** YOU HAVE NEW MAIL ***

=> s 11 ful
FULL SEARCH INITIATED 14:33:53 FILE 'BEILSTEIN'
FULL SCREEN SEARCH COMPLETED - 10 TO ITERATE


100.0% PROCESSED 10 ITERATIONS 0 ANSWERS
SEARCH TIME: 00.00.06

L4 0 SEA SSS FUL L1

=>

```
=> d sia  
L1 HAS NO ANSWERS  
L1
```

STR



```
VAR G1=25/22  
VAR G2=20/27  
NODE ATTRIBUTES:  
HCOUNT IS E1 AT 6  
DEFAULT MLEVEL IS ATOM  
DEFAULT ECLEVEL IS LIMITED
```

```
GRAPH ATTRIBUTES:  
RSPEC I  
NUMBER OF NODES IS 31
```

STEREO ATTRIBUTES: NONE

```
=> s 11  
SAMPLE SEARCH INITIATED 14:32:13 FILE 'REGISTRY'  
SAMPLE SCREEN SEARCH COMPLETED - 3 TO ITERATE
```

```
100.0% PROCESSED 3 ITERATIONS 0 ANSWERS  
SEARCH TIME: 00.00.01
```

```
FULL FILE PROJECTIONS: ONLINE **COMPLETE**  
BATCH **COMPLETE**  
PROJECTED ITERATIONS: 3 TO 163  
PROJECTED ANSWERS: 0 TO 0
```

L2 0 SEA SSS SAM L1

```
=> s 11 ful  
FULL SEARCH INITIATED 14:32:59 FILE 'REGISTRY'  
FULL SCREEN SEARCH COMPLETED - 44 TO ITERATE
```


```
100.0% PROCESSED 44 ITERATIONS 4 ANSWERS  
SEARCH TIME: 00.00.01
```

L3 4 SEA SSS FUL L1

=> d tot reg
1 RN 476444-36-7 REGISTRY
2 RN 476444-35-6 REGISTRY
3 RN 476444-34-5 REGISTRY
4 RN 476444-33-4 REGISTRY

=> d 1 sub bib abs

L3 ANSWER 1 OF 4 REGISTRY COPYRIGHT 2004 ACS on STN
RN 476444-36-7 REGISTRY
CN 3-Furancarboxylic acid, 5-[1-[(4-chloro-2-methylphenyl)amino]-2-oxo-2-phenylethyl]-2-methyl-, ethyl ester (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C23 H22 Cl N O4
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
DT.CA CAplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1

AN 138:4515 CA
TI Preparation of furan-2-yl-methylamines and thiophen-2-yl-methylamines as analgesic agents
IN Maul, Corinna; Przewosny, Michael
PA Gruenthal GmbH, Germany
SO PCT Int. Appl., 44 pp.
CODEN: PIXXD2

DT Patent

LA German

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE	
PI	WO 2002094802	A1	20021128	WO 2002-EP5542	20020521	
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				